

Introducing New Techniques and Technology for the  
Development of Petroleum Deposits in Tataria,  
by V. A. Eronin.

RUSSIAN, part, Neft Khoz, Vol. X, 1957, pp 24-31.

Tech and Con  
\$70.00

Sci - Ingr

Apr 58

62,187

On the Development of the Strata Sl of the  
Zhirnovskiy Oil Fields, by A. G. Gabrielian.

RUSSIAN, part, Neft Khoz, Vol X, 1957, pp 32-38.

Tech and Com  
\$70.00

Sci - Engr

Apr 58

*62,188*

The Loss or Waste of Petroleum Side Gases and Their  
Efficient Utilization, by A. I. Kutukov.

RUSSIAN, *rev.*, *Beft Khoz*, Vol X, 1957, pp 39-44.

Tech and Com  
\$50.00

Sci - Fields

Apr 58

62,181

Re  
The Development of Petroleum Deposits by Selecting at  
the Same Time Gas From the Gas Cap, by A. V. Afanas'eva.

RUSSIAN, per, Neft Khoz. Vol X, 1957, pp 44-51.

Tech and Com  
\$65.00

Sci - Fuels

Apr 58

62,182

The Influence of the Regime of Pumping on the  
Efficiency of the Piston Rod of the Pump, by  
B. B. Kruman.

RUSSIAN, part, Neft' Khim., Vol X, 1957, pp 51-54.

Tech and Com.  
\$30.00

Sci - Engr

Apr 58

*62, 183*

Mechanized Chemical Dressing of Reservoirs, by  
P. R. Tsube.

RUSSIAN, per, Neft Khoz, Vol X, 1957, pp 55-58.

Tech and Com  
\$30.00

Sci - Chem, Ingr

Apr 58

62,168

Preheator for Harmonic Discharge of Oil From  
Railroad Tank Cars, by I. P. Rumetskiy.

RUSSIAN, per Neft' Khoz. Vol X, 1957, pp 58-62.

Tech and Com  
\$30.00

Sci - Engr

Apr 58

62,169

The Petroleum Industry of USSR During the Forty  
Years Since the Great October Socialist Revolution  
(A Review of the Development).

RUSSIAN, per, Neft' Khoz, Vol XI, 1957, pp 1-14.

Tech and Com

USSR  
Econ

Apr 58

62,223

The Technical Process in the Petroleum Industry Over  
Forty Years, by T. A. Trebin.

RUSSIAN, per, Naft Khoz. Vol XI, 1957, pp 15-25.

Tech and Com

USSE  
Econ

Apr 58

62,227

The Development of Drilling Over the Years of the  
Soviet Rule, by N. S. Timofeyev.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 26-33

Tech and Con

Sci - Engr

Apr 58

62,217

The Progress in the Field of Transport and Storage  
of Petroleum and Petroleum Products Over Forty  
Years, by L. A. Matskin.

RUSSIAN, per Neft Khoz. <sup>no</sup> ~~Vol~~ XI, 1957, pp 34-40.

Tech and Com

Sci - Fuels

*Head Lib L. Sec*

USSR  
Econ

*R 10  
L C*

Apr 58

*62,218*

Accurate Setting of Turbohorer, by P. S. Drobotov.

RUSSIAN, per, Neft Know, Vol XI, 1957, pp 41-46.

Tech and Com

Sci - Engr

Apr 58

*62, 219*

Drilling of Multiple Mining Wells in the Borislev  
Field, by M. P. Panov.

RUSSIAN, par. Neft Khoz, Vol XI, 1957, pp 47-49.

Tech and Com

Sci - Engr

Apr 58

*62, 251*

Drilling Experiment With Sectional Turbodriller, by  
V. N. Polyakov.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 49, 50.

Tech and Com

Sci - Engr

Apr 58

62, 213

To the Determination of the Pressure Change at the  
Mining Place of Wells by the Movement of the Drilling  
or Driving-Pipes in Their Column, by N. A. Gukasov.

RUSSIAN, per Neft Khoz. Vol XI, 1957, pp 51-54.

Tech and Com

Sci - Engr

OTS 61-113-17

Apr 58

62,214

Isolation of Bottom-Water at the Application of  
Hydro-Fracturing of the Strata at the Tuimaza Oil  
Field, by A. K. Krupnov.

RUSSIAN, per, Neft Khoz, Vol. XI, 1957, pp 55-58.

Tech and Com

AMS 73-1345

Sci - Engr

Apr 58

62, 210

To the Results of Blowing Air Into the Strata For  
Ten Years at the Oil Fields of Kura-Tsetse, by  
B. P. Nikerid

RUSSIAN, part, Naft Khoz, Vol XI, 1957, pp 59-61.  
Tech and Con

Sci - Engr

Apr 58

62, 216

The Effect of Washing Liquids (Drilling Muds) on the Penetrability of the Core Sample, by K. F. Zhigach.

RUSSIAN, *Тех. Мест. Конт.*, Vol XI, 1957, pp 62-67.

Sci - Engr Tech and Com

Apr 58

*62, 318*

Repeated Hydro-Rapture of the Strata, by A. G. Durmish'-  
16n.

RUSSIAN, per, Neft Khoz., Vol XI, 1957, pp 67-70.

Tech and Con  
\$30.00

Sci - Engr

Apr 58

62,314

The Petroleum Industry in Turkey, by D. I.  
Vdovichenko.

RUSSIAN, per, Neft KhcH, Vol XI, 1957, pp 70-72.

Tech and Com  
\$20.00

NE/A - Turkey

Econ

Apr 58

*6/11/58*

Production of Water-Free Oil From Deposits With  
Bottom Water, by N. G. Osipov, 12 pp.

RUSSIAN, *Neft Khon*, USSR, 1957, Vol XXXV,  
No 12, pp 42-51.

Assoc Tech Serv 36X26R  
15.75

Sci - Fuel  
OTE I, 4  
Apr 59

85,268

The Displacement of Oil From Water-Invaded  
Zeds by Liquefied Gas, by A. S. Velikovskiy,  
V. P. Tarzi, 6 pp.

RUSSIAN, per, *Naft Khoz*, USSR, Vol XXXV, No 12,  
1957, pp 51-55.

Assoc Tech Serv 37X26R

Sci - Fuels  
CIB I, II  
Apr 59

*11/15/58*  
*85,270*

Evaluation of the Efficiency of Fishing Methods in  
Drilling, by M. A. Geyman, I. I. Khamsarsin, 7 pp.

RUSSIAN, par, Isfi. Khov, Vol. XXIV, No 10, 1957,  
pp 11-16.

AFB-45L36R

Sci  
Jan 60

Vol. III, No 5

119,166

Means of Increasing the Wear Resistance of Turbo-  
Drill Thrust Bearings, by A. V. Kal'chenko, A. A.  
Silin, 6 pp.

RUSSIAN, per, Naftyanaya Khimiyaystvo SSSR, Vol  
KOV1, No 1, 1958, pp 9-13.

Assoc Tech Serv 31K26R  
8.73

Sci - Engr  
OES I, 4  
Apr 59

85,264

Experiences and Prospects of the Industrial use of Electrodrills, by A. A. Minin, K. A. Chelpanov, 19 pp.

RUSSIAN, per, Neft Khoz. USSR, Vol XXXVI, No 2, 1959, pp 13-16.

OTS 62-16439

Schilling  
Dec 63

An Evaluation of Various Modes of Rock Disintegration,  
by A. N. Adamov, 9 pp.

*REV.*  
RUSSIAN, *Bednyanaya Khoz.* (USSR), Vol XXXVI, No 2,  
1958, pp 7-13.

Assoc Tech Sr  
38K26A

Sci - Chem  
Apr 59  
OSR, V. I, No 5

*OTS 62-14577*  
*ATL-38K26A*

*86,178*

*OTS TT-42-26260 (RUSSIAN to FRENCH)*

Experiment in Slim Hole Drilling, by A. N.  
Izskhablikov. UNCL

RUSSIAN, per, Neft Khoz, Vol XXXVI, No 2,  
1958, pp 19-22.

ACS RJ-1769

Sci - Engr  
Dec 59

103,501

TT-62-26362

Alekseev, I. G.  
ANALYSE DU TRAVAIL DANS LES LIEUX DE  
FIXATION DES CYLINDRES ET DANS LE GARNIS-  
SAGE DES FERMETURES DES POMPES DE FORAGE  
(Efficiency of Fastening the Cylinders and Packing the  
Fastenings of Pumps for the Bore Holes). 9p.  
CNRS-XXV 309.

Order from OIS, ETC or CNRS \$0.95      TT-62-26362

Trans. in French of Neftyanoe Khozvaistvo, 1958, v. 36,  
no. 2, p. 23-25.

DESCRIPTORS: \*Pumps, Pipes, \*Fastenings, \*Seals,  
Boreholes.

(Machinery--Machine Parts, TT, v. 11, no. 6)

I. Alekseev, I. G.  
II. CNRS-XXV 309  
III. Centre National de la Recher-  
che Scientifique, Paris

Office of Technical Services  
European Translations Centre

Test Drilling of a Deep Well with an 8" Diameter  
at K. J. ... G. O. Amindakanyanki, ...

SUBJECT, part: Net's Kach, Vol XXXVI, No 3, 1966,  
pp 12-15.

AMS REF-2767

Dec 55

Dec 55

*103/11*

The Equipment Test Mechanism and Automation of  
Elevator Operations in Giv. Bag, by A. P. Fyodorov  
July, 10 pp.

RUSSIAN, USSR, USSR TECH JOURN, Vol XXV, No 7,  
1978, pp 15-21.

REF 398268

Sci - Engr  
May 59  
AS 2, 7

39,455

Pitch of Cone Bit Teeth, by V. G. Bolikov, 7 pp.

ISSUES, par, East Knox (USSR), Vol XXVI,  
No 3, 1958, pp 28-33.

Assoc Tech Serv  
408268

Set - Ingr  
May 59  
CBI, Vol 1, No 6

86,351

regarding N. A. Lazarev's Article "Connections of  
Tri-Core Bits", by A. Ya. Grigoryan, 3 pp.

RUSSIAN, per, Soft Docs (USSR), Vol XXVI,  
No 3, 1958, pp 33-35.

Assoc Tech Serv  
AIRS

incl - Engr  
May 59  
GIB, V I, No 6

86,352

Basic Physical Properties of Formation Oil and  
Water and their Changes Throughout the D<sub>2</sub>-Bed of  
the Taimay Oil Field, by A. I. Zhalonkin, I. P.  
Nikolayev, 4 pp.

RUSSIAN, per. Neft Khoz, Vol XXXVI, No 3, 1958,  
pp 42-45.

ATB 74129R

Sci. - Fuels  
Sep 59  
Vol 2, No 2

98,025

On the Article by I. K. Kurus, "Mechanics of Reflecting  
Directional Beams", by Yu. S. Vasil'ev, G. A.  
Bhatlar, 3 pp.

RUSSIAN, per, Mechanika (USSR), Vol XXV, No 4,  
1958, pp 31, 32.

Assoc Tech Br  
43826R

Sci - Engineering  
Apr 59  
OEB, V. I, Hb 5

86,183

Sand Movement in Horizontal Fissures Formed  
by Hydraulic Formation Fracturing, by A. M  
Zayunov, and N. N. Shchegla, 8 pp.

*plw*  
NEFTIANE, Neftyanoye Khoz, Vol. XXXVI, No 4,  
1958, pp. 44-50.

Assoc Tech BR  
35826R

Sci - Engineering  
Apr 59  
OER, V. 3, No 5

86,180

Efficiency of 56-12st Bits, by V. N. Polynkov, V. M.  
Karpov, 5 pp.

RUSSIAN, per, Naftynnoye Khoz (USSR), Vol XXXVI, No 5,  
1958, pp 19-22.

Assoc Tech BU  
44266R

Sci Engineering  
Apr 59  
OEB, V. 1, No 5

86,182

Mechanism of Fracture Enlargement in Hydraulic  
Fracturing of Carbonate Reservoirs, by Yu. N.  
Vasilyev, 7 pp.

RUSSIAN, per, Neft Khoz, Vol XXXVI, No 6, 1958,  
pp 32-36.

ATS 91L308

97,301

*Sci-Engg*  
*Vol 2 No 1*

The Use of Radioactive Tracers in Well Logging, by S.  
S. Khan, A. M. Galyarich, & pp.

KREBBIAN, Marc Ebor (U.S.S.R.), Vol XXIV, No 6, 1958,  
pp 36-39.

Assoc Tech Serv  
128778

Lib. of Geological Survey

Sci - Engr

May 59

OSD, U.S. G

86,345

Kusakov, M.M. and Gudok, N.S.  
INFLUENCE DES PRESSIONS EXTERIEURES SUR LES  
PROPRIETES DE FILTRATION DES ROCHES PETROLI-  
FERES (Influence of External Pressure on Filtration  
Properties of "Oil-bearing Rocks" 17p. 15 refs  
CNRS-XXV 344  
Order from CTS, ETC or CNRS \$0.80 TT-62-26726

Trans. in French of Neftyanoe Khozvalstvo (USSR)  
1958, v. 36, no. 6, p. 31-47.

DESCRIPTORS: \*Petroleum, \*Rock (Geology), Pres-  
sure, Filtration, Mechanical properties, Elasticity,  
Plasticity, Compressive properties, Irreversible  
processes.

(Materials--Fuels, TT v. 11, no. 6)

TT-62-26726

- I. Kusakov, M.M.
- II. Gudok, N.S.
- III. CNRS-XXV 344
- IV. Centre National de la Recherche Scientifique, Paris

Office of Technical Services  
European Translations Centre

TT-62-26404

Merkulov, V.M.  
SUR LE DÉBIT DES Puits INCLINÉS ET HORIZON-  
TAUX (O Derite Naklonnykh i Gorizontalnykh  
Skvazhin) (The Output of Inclined and Horizontal Wells).  
16p. (foreign text included). 3 refs. CNRS-XXV 464.  
Order from OTS, ETC or CNRS \$0.80 TT-62-26404

I. Merkulov, V.M.  
II. CNRS-XXV 464  
III. Centre National de la Recherche  
Scientifique, Paris

Trans. in French of Neftyanoe Khozyaistvo (USSR)  
1958, v. 36, no. 6, p. 51-56.

DESCRIPTORS: \*Petroleum, \*Mining engineering,  
Hydrodynamics, Fluid mechanics, Well drilling.

(Materials--Fuels, TT, v. 11, no. 6)

Office of Technical Services  
European Translations Centre

High-Speed Photocopying Machine  
 A. M. Rubin, J. M. Fogarty, UNCOL  
 RUBIN, per. 1420 EPOCH, VOL NUMBER, 100 1/2, 100 1/2  
 pp 6-13.

100 1/2, 100 1/2

Box 100

Dec 59

100,500

Mechanism of Well Drilling with Explosives, by  
A. I. Gol'binder, N. B. Kagan, A. P. Ostrovskiy,  
4 pp.

~~RUSSIAN~~  
RUSSIAN, per, ~~Vol XXVI~~, No 7, 1958, pp 13-16.

Assoc Tech Serv  
39827R

Srl - Engr  
May 59  
OBI, V I, No 6

86,360

Indexes of Production Decline in Wells After  
Hydraulic Fracturing, by P. I. Denisov, 5 pp.

RUSSIAN, per, Neft Khoz., Vol XXXVI, No 7, 1958,  
pp 52-55.

ATS 96L3CR

Bcl - Ingr

3, No 1

97, 296

Petroleum Supply to East Siberia, by P. Ya. Boykov.  
(USSR Materials and Materials Processing Equipment, 3).

RUSSIAN, per, Neftyanoye Khozyaystvo, No 8, Aug 1958,  
pp 12-16.

AF 118 12-79

USSR  
Econ  
Sci Petroleum Production  
Oct 58

75, 411

Investigation of Propulsion Characteristics of  
Solid Rocket Motors with Comparison of  
the Fluid Flow into a Star-In Wall, by P. A. Trobin,  
Ya. P. Borisov, E. D. Nykharenko, 12 pp.

KOSMOS, par. ~~ISSUES~~ USSR, Vol XXVI, No 8, 1959,  
pp 36-46.

AMS-SECRET

Sci - Engineering, Fuels  
May 59  
OSR V. I, No 8

89,016

62-16659

I. Trebin, F. A.  
II. Borisov, Yu. P.  
III. Mukharskii, F. D.

Trebin, F. A., Borisov, Yu. P., and Mukharskii,  
[E.] D.  
DETERMINATION OF THE FORMATION-PARAMETERS  
FROM THE PRESSURE BUILDUP CURVE, TAKING  
INTO ACCOUNT THE FLOW OF LIQUID INTO THE  
WELL AFTER SHUT-IN, PT. I [K Opredelelyu  
Parametrov Plasti po Khivym Vosstanovleniya Davleniya  
s Uchetom Poribka Zhidkosti v Skvazhinu Poisle Ee  
Zakrytiya]. [1962] [20]p. 10 refs.  
Order from GTS or SL/ \$1.60      62-16659

Trans. of Neftyanoe Khozaystvo (USSR) 1958 [v. 36]  
no. 8, p. 38-40

Another trans. is available from ATS \$9.95 as  
ATS-35K27R [1958] 12p.

DESCRIPTORS: \*Petroleum, Sources, Hydraulic  
reservoirs, Fluid flow, Pressure, Permeability,  
Mathematical analysis, Hydrodynamics, Mining  
engineering.  
(Engineering, TI, v. 10, no. 2)

Office of Technical Services

Blank-Hole Heating Devices, by A. K. Sergeev, A.  
B. Maslennik, 9 pp.

ISSUES, West East, Vol XXVI, No 6, 1958,  
pp 46-53.

Assoc Tech Serv  
36127A

Sci - Eng  
May 59  
SIL, v 1, no 6

86, 355

Hydraulic Formation Fracturing in Deep Flowing  
Wells at Oil Field No 1, NPU Dolinaneft, by  
N. I. Shubin, V. I. Andruschko, 6 p.

RUSSIAN, part, Neft Khoz 1958, Vol XXXVI,  
No 8, pp 65-69.

ATS-46L35R

ATS-93-41

111,695

Sci  
Apr 60  
Vol III, No 2

Method of Regulation of Weight on  $10^5 G_c$   
in Turbodrilling, by V. B. Fedorov, 5 pp.

RUSSIAN, per, Neft Khos., 1958, Vol XXIV,  
No 9, pp 14-17.

ACS-77128R

Sci - Engr  
OES I, 12  
Jul 59

92, 243

Formation of Vertical Fractures in Hydraulic  
Fracturing, by M. P. Panov, E. A. Ivanitskiy,  
et al., 6 pp.

RUSSIAN, par, Neft. Khim., 1958, Vol XXXVI,  
No 9, pp 56-59.

ASIS-78L288

Sci - Engr  
GFB I, 12  
Jul 59

92, 275

62-16660

I. Trebin, F. A.  
II. Borisov, Yu. P.  
III. Mukharskii, E. D.

Trebin, F. A., Borisov, Yu. P., and Mukharskii,  
[E.] D.  
DETERMINATION OF THE FORMATION-PARAMETERS  
FROM THE PRESSURE BUILDUP CURVE, TAKING  
INTO ACCOUNT THE FLOW OF LIQUID INTO THE  
WELL AFTER SHUT-IN, PT. II. [K Opredeleniya  
Parametrov Plasta po Kriyvm Vosstanovleniya Davleniya  
s Uchetom Prитоka Zhidkosti v Skvazhину Posle Ee  
Zakrytiya]. [1962] 13p.  
Order from CTS or SLA \$1.60 62-16660

Trans. of Neftyanoe Khozyaistvo (USSR) 1958 [v. 36]  
no. 9, p. 40-47.

DESCRIPTORS: \*Petroleum, Sources, Hydraulic  
reservoirs, Fluid flow, Pressure, Permeability,  
Mathematical analysis, Hydrodynamics, Mining  
engineering.

(Engineering, TT, v. 10, no. 2)

Office of Technical Services

Increases in the Drift Angle and Azimuth of Hole  
Deviation made possible by the use of Deflectors in  
Turbo-drilling. by Shagin, A.N.  
RUSSIAN, per, Neftyanoe Khozyaystvo, Vol 36 No 9,  
pp 18-26. 1958  
ETC-69-35618

Mar 70

403,338

Vasil'ev, Yu.N.  
SUR LE MOUVEMENT DES MÉLANGES HYDRO-  
S<sup>2</sup> BLONNEUX DANS LES FENTES (O Dvizheni  
Peschano-Zhidkostnykh Smesel po Shchelyam) (The  
Movement of Mixtures of Water and Sand in Fissures).  
12p. (foreign text included) 3 refs. CNRS-XXV 426  
Order from OTS, ETC or CNRS \$1.10. TT-62-26391

Trans. in French of Nedryano Khozvalstvo (USSR)  
1958, v. 36, no. 10, p. 35-39.

DESCRIPTORS: Mining engineering, Sand, Water,  
Hydrodynamics, Mixtures.

TT-62-26391

I. Vasil'ev, Yu.N.  
II. CNRS-XXV 426  
III. Centre National de la Recher-  
che Scientifique, Paris

(Earth Sciences--Geology, TT, v. 11, no. 6)

Office of Technical Services  
European Translations Centre

From an "Oil Cemetery" to a Highly-Developed  
Oil Industry, by Ye. Gal'perin,  
L. 'Krasnopol'skiy, 4 pp.

RUSSIAN, per, Neftyanoye Khoz, Vol XXXVI,  
No 10, 1958, pp 68, 69.

AFB-12M41R

Sci  
10 Mar 62  
Vol 4, No 4

187,747

Drilling Practice With Slim Cone Bits, by  
A. A. Pogarskiy,

RUSSIAN, per. Neft Khoz, Vol XXXVI, No 11, 1958,  
pp 16-20.

ATS 2305-BJ

Sci - Ingr

Sep 60

124,894

The Use of Plastic Drill Pipes in Drilling Deep  
Wells, by N. V. Kalikov, 3 pp.

RUSSIAN, per, Neft Khoz, Vol XXXVI, No 11, 1958,  
pp 28-30.

ATS-34L3CR

Sci - Engr  
Sep 59  
Vol 2, No 1

97 910

The Deformation of Gel Cement During Perforation,  
by S. L. Lantsevitakaya, et al. 3 *7-11*

RUSSIAN, per, Neft Khoz, Vol XIXVI, No 12, 1958,  
pp 26-28.

ATS 2309-RJ

ATS-45 M38K

Sci - Engin

Sep 60

124,897

Hydraulic Formation Fracturing in Injection  
Wells of the Akhtyrsk-Bugundyrsk Oil Field,  
by A. N. Garushev, 5 p.

RUSSIAN, *Nefti Khoz* 1958, Vol XXXVI,  
No 12, pp 33-35.

ATS-47L35R

ATS-21

Sci  
Apr 60  
Vol III, No 2

111, 692

Fluid Flow Near the Bottom of the Hole During  
Hydraulic Fracturing by Yu. M. Shekhtman,  
I. F. Kuranov, A. A. Larin, 7 p.

RUSSIAN, per, Neft' Khoz, 1958, Vol. XXXVI, No 12,  
pp 40-45.

4  
AIB-68L35R

RTS-23-11-58

Sci  
Apr 60  
Vol III, No 2

111,694

62-18533

Chekalyuk, E. B.  
CALCULATION METHOD OF PHYSICAL PARAMETERS OF FORMATIONS. 15 Jan 60 [18]p. 3 refs.  
Order from SLA \$1.60 62-18533

I. Chekalyuk, E. B.

Trans. of an Italian translation of Neftyanoe Khozyaistvo (USSR) 1958 [v. 36] no. 11, p. 42-48.

DESCRIPTORS: \*Well drilling, Boreholes,  
\*Petroleum, Deposits, Fluid flow, Pressure,  
Integrals.

(Earth Sciences--Geology, TT, v. 9, no. 11)

Office of Technical Services

Suggestions Relative to the Simplified Method  
for the Interpretation of the Results of  
Pressure Restoration in Wells, Taking Into  
Account the Influx of Fluid After Their  
Shutdown, by F. A. Trebin, G. V.  
Shcherbakov. UNCL

RUSSIAN, per, Neft Khoz, Vol. XXXVII, No 1,  
1959, pp 55-57.

*Engl*  
Sci - Geophys  
Jan 50

*with out*  
ATS RJ-1828

Technique of Improving Electroplating, by A. P.  
Gorodkov. UNCLAS

FORSTAL pers. Ref: Khaz, Vol XXXVII, No 1, 1959.  
TE 26-13.

AMS RJ-1766

Sci - Elec

Dec 59

103,478

Certain Characteristics of Formation Water Influx  
After The Shut-Down of Flowing Wells, by  
I. M. Murav'yev, N. N. Repin, S. F. Lyushin, 8 p.

RUSSIAN, *Tr. Neftyanoye Khoz*, 1959, Vol XXXVII,  
No 1, pp 49-54.

ATS-20L31R

Sci  
Mar 60  
Vol 2, No 11

109,568

<p>Kundin, S. A. A MODEL STUDY OF OIL RECOVERY IN THE CASE OF DISPLACEMENT OF GAS CUT CRUDE OIL BY WATER. [1960] 6p. Order from ATS \$11.50      <b>ATS-90M44R</b> Trans. of Nefteyanre Khozlyaystvov (USSR) 1959, v. 37, no. 1 [sic] p. 54-59.</p>	<p><b>60-25521</b> <b>I. Oils--Sources</b> <b>I., Kundin, S. A.</b> <b>II. ATS-90M44R</b> <b>III. Associated Technical</b> <b>Services, Inc., East</b> <b>Orange, N. J.</b></p>
<p><b>151776</b></p>	<p><i>ATS/RJ-2770</i></p>
<p>(Earth Sciences--Geology. TT, v. 5, no. 9)</p>	<p><b>Office of Technical Services</b></p>

An Electronic System for Controlling the  
Torsionally and Shear Stress of Drilling Tools, by S.  
M. Zhukovitskiy, UNCL

RUSSIAN, per, Naft Khoz, Vol. XXXVII, No. 2,  
1959, pp. 34-35.

ARS 10-1773

Sol - Eng

Dec 59

103,502

(NY-2900/2)

*(Dull, 1959)*  
Interfacial Expansion, *Plits*, by Ya. M. Kerzhenbaum,  
Z. A. Diffine, 7 pp.

RUSSIAN, *mer*, *Neft Khoz*, No 3, 1959, pp 33-37.

JPRS-1798-N

Sci - Engg  
Jul 59

93,100

Electrochemical Method of Consolidating Clayey  
Formations in Well Bores, N. I. Litkov, et al.  
DPR

RUSSIAN, part West KH04, Vol XXIV, No 3, 1970  
pp 37-40.

AMS R3-1762

Sci - EDET

103,601

Dec 59

Removal of Paraffin From the Bottom-Hole Zone  
With an Electric Heater, & by N. N. Kosurev,  
S. A. Malovskiy, 5 p.

RUSSIAN, per, Neft Khoz, 1959, Vol XXXVII, No 3,  
pp 56-58.

ATB-65134R

Sci

May 60  
Vol 3, No 4

116,814

An Investigation of the Removal of Large Rock  
Fragments From Wells, by E. B. Kagan, A. P.  
Ostrovskiy, 9 p.

RUSSIAN, per, *Nauchnye Knigi*, 1959, Vol. XXXVII,  
No 4, pp 24-31.

AIB-69L348

ATS-2000

116,805

Sci  
May 60  
Vol 3, No 4

Nazarov, S. N.  
FLANK FLOODING OF THE LIMESTONE RESER-  
VOIRS IN THE KEODZHIABAD FIELD. 15p.

MTWL: 933  
Order from OTS or ETC \$1.85      61-17575

Trans. of Nefyanne Khoz'ya'svo (USSR) 1959, no. 4,  
p. 35-41.

DESCRIPTORS: \*Mineral oils, Production, \*Geology,  
SSSR.

61-17575

- I. Nazarov, S. N.
- II. MTWL-933
- III. Stichting Moelijk  
Toegankelijke Wetenschap-  
pelijke Literatuur

Office of Technical Services

Five-Fold Increase in Strength of Hydraulic Fracturing as  
Illustrated by G. P. Panov. UNCL

RUSSIAN, part, Neft Zhizn, Vol XXXVII, No 6, 1959,  
pp 63-67.

HTS 13-1783

Ed1 - Eng:

Dec 59

103,508

Static Force Required for Pulling a Tubing Core  
From a Deviated Well Bore, by V. A. Khar'kov.

RUSSIAN, *Eng. Transl.* Vol. XXVII, No 5, 1989,  
pp 27-32.

AMS RJ-1774

Sci - Engr,

Doc 59

103,504